Index to Volume 37

AUTHOR INDEX

Adrian, R. C.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Alexander, K.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Alonso, L. A.
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Alter, H. W.
Nationwide distribution of indoor radon measurements: a preliminary data base, 227

Altshuller, A. P.
Estimation of the natural background of ozone present at surface rural locations, 1409

Altwicker, E. R.
Incineration of hazardous waste: critical review discussion papers, 1011

Angle, R. P.
Selecting air quality–acid deposition models for mesoscale application, 260

Arbaugh, M. J.
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Arendt, J. S.
Addressing public fears related to the siting of hazardous waste facilities, 1202

Avol, E. L.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Babcock, L. R.
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Bailey, S. N.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Banaszak, T.
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Barinaga, C. J.
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Barnard, W. F.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Barr, M.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Batterman, S. A.
Significance of regional source contributions to urban PM-10 concentrations, 1286

Bedi, J. F.
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199

Benforado, D. M.
Life cycle approach to effective waste minimization, 1206

Bhumralkar, C.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Bohn, H. L.
Propane removal from propane-air mixtures by soils, 1486

Boomer, B. A.
Common deficiencies in RCRA Part B incinerator applications, 275

Borowsky, A. R.
Summary of the final federal emissions trading policy statement, 798

Braden, J. B.
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Brennan, E.
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Briassoulis, H.
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 359

Bruins, R. J. F.
Assessing potential health effects from municipal sludge incinerators, 395

Brusick, D. J.
Genetic risk assessment, 795

Buffler, P. A.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Bullard, C. W.
Issues in low-level radioactive waste management, 1337

Bullin, J. A.
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Bush, P. V.
Filtration properties of fly ash from fluidized bed combustion, 1292

Camberato, D. M.
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179

Campbell, S. A.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Carlson, J. D.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Cederwall, R. T.
Predicting and managing the health risks of sour-gas wells, 1185

Chadbourne, J. F.
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Chang, D. P. Y.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Chang, T. Y.
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Chatham, M. D.
Formaldehyde dose-response in healthy nonsmokers, 919

Chatham, W. H.
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Cheney, J. L.
A study of ammonia source at a Portland Cement production plant, 1298

Cheng, L.
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Chuang, C. Y.
Dispersion characteristics of plumes from two major Taiwan power plants, 1197

Claussen, E.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Clay, D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Coe, J. M.
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237

Cohen, J.
EPRI newsletter, 675, 1260

Contant, C. F.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Cooper, C. D.
Indirect source impact analysis—carbon monoxide modeling, 1308

Cooper, J. A.
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Costello, M. E.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Cota, H. M.
COMBUSTION, 401
Low cost software—V, 1076
TECS software, 80

Crowder, J. W.
Public reaction to SIP revisions for ozone reduction, 386

Daisey, J. M.
An overview of the Rio de Janeiro aerosol characterization study, 15
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Damie, A. S.
Options for controlling condensation aerosols to meet opacity standards, 925

David, M. B.
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Davidson, C. I.
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125

Davis, A.
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Davis, C. S.
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Davis, M. L.
Engineering economy software, 617

de Andrade, J. B.
An overview of the Rio de Janeiro aerosol characterization study, 15

Decker, C. E.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Dellinger, B.
Incineration of hazardous waste: critical review discussion papers, 1011

Dingell, J. D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Dobson, M.
Toxic trace elements associated with airborne particulate matter: a review, 1267

Doniger, D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Index to Volume 37

AUTHOR INDEX

Adrian, R. C.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Alexander, K.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Alonso, L. A.
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Alter, H. W.
Nationwide distribution of indoor radon measurements: a preliminary data base, 227

Altshuller, A. P.
Estimation of the natural background of ozone present at surface rural locations, 1409

Altwicker, E. R.
Incineration of hazardous waste: critical review discussion papers, 1011

Angle, R. P.
Selecting air quality–acid deposition models for mesoscale application, 260

Arbaugh, M. J.
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Arendt, J. S.
Addressing public fears related to the siting of hazardous waste facilities, 1202

Avol, E. L.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Babcock, L. R.
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Bailey, S. N.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Banaszak, T.
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Barinaga, C. J.
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Barnard, W. F.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Barr, M.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Batterman, S. A.
Significance of regional source contributions to urban PM-10 concentrations, 1286

Bedi, J. F.
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199

Benforado, D. M.
Life cycle approach to effective waste minimization, 1206

Bhumralkar, C.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Bohn, H. L.
Propane removal from propane-air mixtures by soils, 1486

Boomer, B. A.
Common deficiencies in RCRA Part B incinerator applications, 275

Borowsky, A. R.
Summary of the final federal emissions trading policy statement, 798

Braden, J. B.
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Brennan, E.
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Briassoulis, H.
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 359

Bruins, R. J. F.
Assessing potential health effects from municipal sludge incinerators, 395

Brusick, D. J.
Genetic risk assessment, 795

Buffler, P. A.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Bullard, C. W.
Issues in low-level radioactive waste management, 1337

Bullin, J. A.
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Bush, P. V.
Filtration properties of fly ash from fluidized bed combustion, 1292

Camberato, D. M.
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179

Campbell, S. A.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Carlson, J. D.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Cederwall, R. T.
Predicting and managing the health risks of sour-gas wells, 1185

Chadbourne, J. F.
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Chang, D. P. Y.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Chang, T. Y.
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Chatham, M. D.
Formaldehyde dose-response in healthy nonsmokers, 919

Chatham, W. H.
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Cheney, J. L.
A study of ammonia source at a Portland Cement production plant, 1298

Cheng, L.
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Chuang, C. Y.
Dispersion characteristics of plumes from two major Taiwan power plants, 1197

Claussen, E.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Clay, D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Coe, J. M.
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237

Cohen, J.
EPRI newsletter, 675, 1260

Contant, C. F.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Cooper, C. D.
Indirect source impact analysis—carbon monoxide modeling, 1308

Cooper, J. A.
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Costello, M. E.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Cota, H. M.
COMBUSTION, 401
Low cost software—V, 1076
TECS software, 80

Crowder, J. W.
Public reaction to SIP revisions for ozone reduction, 386

Daisey, J. M.
An overview of the Rio de Janeiro aerosol characterization study, 15
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Damie, A. S.
Options for controlling condensation aerosols to meet opacity standards, 925

David, M. B.
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Davidson, C. I.
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125

Davis, A.
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Davis, C. S.
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Davis, M. L.
Engineering economy software, 617

de Andrade, J. B.
An overview of the Rio de Janeiro aerosol characterization study, 15

Decker, C. E.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Dellinger, B.
Incineration of hazardous waste: critical review discussion papers, 1011

Dingell, J. D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Dobson, M.
Toxic trace elements associated with airborne particulate matter: a review, 1267

Doniger, D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Doucet, L. G.
Incineration of hazardous waste: critical review discussion papers, 1011

Draxler, R. R.
Estimating emissions from air concentration measurements, 708

Drechsler-Parks, D. M.
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199

Dunckel, J. R.
Avoiding land disposal of hazardous waste: some case studies, 1331

Dunmore, J.
International news, 10

Dunn, J. E.
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

Dupont, R. R.
Measurement of volatile hazardous organic emissions from land treatment facilities, 168

Durso, B. L.
Public reaction to SIP revisions for ozone reduction, 386

Ebinger, M. H.
Propane removal from propane-air mixtures by soils, 1486

Economopoulos, A. P.
Development of the five-year air pollution abatement plan for the greater Athens area, 889

Ehrlich, A. M.
The Environmental Protection Agency's risk assessment guidelines, 784

Ellis, H. M.
Summary of the final federal emissions trading policy statement, 798

Engelgau, D.
No room for politics in clean air debate, Dingell tells APCA seminar, 618
Washington report, 476, 670, 776, 882, 996, 1126, 1256, 1386

Ensor, D. S.
Options for controlling condensation aerosols to meet opacity standards, 925

Eskinazi, D.
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Evans, J. S.
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164

Farwell, S. O.
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Fay, J. A.
Significance of regional source contributions to urban PM-10 concentrations, 1286

Fellin, P.
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Finkel, A. M.
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164

Flachsbart, P. G.
Carbon monoxide exposures of Washington commuters, 135

Fradkin, A.
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Fradkin, L.
Assessing potential health effects from municipal sludge incinerators, 395

Franek, W. J.
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Franklin, C. A.
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Freeman, H. M.
Case studies of minimizing plating bath wastes in the electronics products industry, 723

Frenklach, M.
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370

Froelich, D. A.
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314

Fuerst, R. G.
Calibration and certification of audit devices for transmissometers, 606
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Validation of an audit material for EPA Method 6B, 715
Validation studies of the protocol for the volatile organic sampling train, 388

Furlong, W.
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Gehan, B. M.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Gleit, A.
SO_2 emissions and time series models II, 1445

Goldsmith, C. H.
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Golomb, D.
Significance of regional source contributions to urban PM-10 concentrations, 1286

Gorman, P.
A practical guide to trial burns for hazardous waste incinerators, 66

Gratt, L. B.
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361

Graves, G. M.
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314

Gray, L.
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176

Green, D. J.
Formaldehyde dose-response in healthy nonsmokers, 919

Greenhalgh, B.
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Hackney, J. D.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Halberstadt, M. L.
MVMA newsletter, 8, 484, 1002, 1392

Hamade, T. A.
Effect of relative humidity on electrically stimulated filter performance, 823

Harris, D. B.
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Hasenson, B.
Community odours in the vicinity of a petrochemical industrial complex, 1418

Hasselblad, V.
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377

Hathaway, R.
A practical guide to trial burns for hazardous waste incinerators, 66

Hattis, D.
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Heagle, A. S.
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179

Hebel, J. R.
Formaldehyde dose-response in healthy nonsmokers, 919

Hidy, G. M.
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137

Higgins, T. E.
Avoiding land disposal of hazardous waste: some case studies, 1331

Hlavinka, M. W.
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Hochheiser, S.
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898

Holguin, A. H.
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Holton, G. A.
Addressing public fears related to the siting of hazardous waste facilities, 1202

Homolya, J. B.
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Horvath, S. M.
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199

Hosein, H. R.
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176

Houck, J. E.
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Howes, J. E.
Carbon monoxide exposures of Washington commuters, 135

Hunter, J. S.
Life cycle approach to effective waste minimization, 1206

Jackson, M.
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327

Jaisinghani, R. A.
Effect of relative humidity on electrically stimulated filter performance, 823

James, M.
METRO-APEX on a personal computer, 1465

Jayanty, R. K. M.
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Validation of an audit material for EPA Method 6B, 715

Jenkins, R. E.
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Jernigan, J. R.
An assessment of the long-term performance of gas continuous emission monitoring systems, 27

Johnson, E. M.
Developmental toxicity guidelines critique, 793

Johnson, N. D.
Toxic trace elements associated with airborne particulate matter: a review, 1267

Jordan, R. J.
Treating waste-to-energy flue gas, 422

Kagel, R. A.
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Kampbell, D. H.
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Kane, D. M.
Toxic trace elements associated with airborne particulate matter: a review, 1267

Katari, V. S.
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198

Kerigan, A. T.
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Kilgroe, J. D.
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54

Kim, Y. J.
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254

Klingspor, J. S.
Improved spray dry scrubbing through grinding of FGD recycle material, 801

Knapp, K. T.
A study of ammonia source at a Portland Cement production plant, 1298

Knoll, J. E.
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Knudsen, H. P.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Korpics, J. J.
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Kotchmar, D. J.
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Kowalczyk, G. S.
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361

Kulle, T. J.
Formaldehyde dose-response in healthy nonsmokers, 919

Kuntasal, G.
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Langston, J.
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Layton, D. W.
Predicting and managing the health risks of sour-gas wells, 1185

Lee, K.-C.
Incineration of hazardous waste: critical review discussion papers, 1011

Lefohn, A. S.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
The computer corner, 6, 120, 218, 348, 478, 673, 778, 887, 998, 1132, 1258, 1390

Leone, I.
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Linak, W. P.
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

Lindberg, S. E.
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237

Linn, W. S.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Lioy, P. J.
In-depth exposure assessments, 791
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45

Lodge, J. P., Jr.
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254

Logan, J. A.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Logan, T. J.
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Calibration and certification of audit devices for transmissometers, 606
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Validation of an audit material for EPA Method 6B, 715
Validation studies of the protocol for the volatile organic sampling train, 388

Lomnitz, E.
Assessing potential health effects from municipal sludge incinerators, 395

Long, C.
New bubble guidelines will provide economic incentives, EPA reports, 70
Senate panels plan legislation to combat stratospheric ozone loss, 282
Washington report, 4, 118, 216, 346

Lowenthal, D. H.
The Mn/V ratio in retrospect, 829

Lutkenhoff, S. D.
Assessing potential health effects from municipal sludge incinerators, 395

McClenny, W. A.
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

McElroy, J. L.
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046

McElroy, M. W.
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

McGirr, R.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

McGuire, J.
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176

McIlvaine, R. W.
1987 market outlook for air pollution control and hazardous waste management, 232

McKenna, J. D.
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

McMullen, T.
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377

McSorley, J. A.
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

MacTaggart, D. L.
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Mack, G. A.
Carbon monoxide exposures of Washington commuters, 135

Mallick, E.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Malloch, D.
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Manuell, R. W.
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Margeson, J. H.
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Marple, V. A.
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303

Marsden, A. R., Jr.
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370

Marshall, B. G.
Avoiding land disposal of hazardous waste: some case studies, 1331

Martin, R. S.
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Mason, M. A.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Mathai, C. V.
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700

Matthews, T. G.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Maulbetsch, J. S.
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Mehlman, M. A.
Health risk assessment of chemical mixtures, 796

Midgett, M. R.
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Calibration and certification of audit devices for transmissometers, 606
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Validation of an audit material for EPA Method 6B, 715
Validation studies of the protocol for the volatile organic sampling train, 388

Miguel, A. H.
An overview of the Rio de Janeiro aerosol characterization study, 15

Milford, J. B.
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125

Millan, M. M.
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Miller, P. R.
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Miller, R.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Mitchell, M. J.
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Moore, J. G., Jr.
Public reaction to SIP revisions for ozone reduction, 386

Morse, H. N.
Archer Daniels Midland v. Pollution Control Board and Illinois Environmental Protection Agency, 1379
Attorney General of the State of Michigan v. Thomas Solvent Company, 108
Formosa Plastics Corporation v. Wilson, 300
In the matter of Department of Environmental Protection of the City of New York and Environmental Defense Fund, Inc. v. Department of Environmental Conservation of the State of New York and Central Hudson Gas and Electric Corporation, Inc., 1247
J. W. Black Lumber Company, Inc., v. Arkansas Department of Pollution Control and Ecology, 875
Kampen, doing business as Kampen Farms v. Department of Transportation, 1541
New Mexico Environmental Improvement Division v. Thomas, 108
Occidental Chemical Corporation v. New York State Department of Environmental Conservation, 663
The State of West Virginia v. Ohio Hazardous Waste Facility Approval Board et al., Appellees; Board of Health of Columbiana County et al., Appellants, 1119
Township of South Orange Village v. Hunt, 382
United States v. Charles George Trucking Company, Inc., 769
United States of America v. Geppert Brothers, Inc., and Amstar Corporation, 989
United States of America v. Maryland Bank and Trust Company, 208

Murchison, G. S.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Muzio, L. J.
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Assessment of dry sorbent emission control technologies: Part II. Applications, 968

Nelms, L. H.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Newill, V. A.
Reducing risk in hazardous waste management, 833

Nikkila, N.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Nunno, T. J.
Case studies of minimizing plating bath wastes in the electronics products industry, 723

Offen, G. R.
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Oliver, K. D.
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

Oppelt, E. T.
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011

Osborne, M. C.
Four common diagnostic problems that inhibit radon mitigation, 604

Oswald, R. A.
Nationwide distribution of indoor radon measurements: a preliminary data base, 227

Otamendi, E.
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Otson, R.
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Page, G. S.
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Pagnotti, V.
A meso-meteorological feature associated with high ozone concentrations in the Northeastern United States, 720

Peake, E.
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Peeler, J. W.
An assessment of the long-term performance of gas continuous emission monitoring systems, 27

Pengelly, L. D.
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Pereira, P. A. P.
An overview of the Rio de Janeiro aerosol characterization study, 15

Persson, P.-E.
Community odours in the vicinity of a petrochemical industrial complex, 1418

Petersen, Ronald L.
Performance evaluation of integral and analytical plume rise algorithms, 1314

Peterson, D. L.
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Pinkerton, J. E.
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005

Place, R. D.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Pleil, J. D.
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

Porter, M. L.
Hazardous pollutants in Class II landfills, 609

Potter, J. C.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Powell, F. C.
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836

Preuss, P. W.
The Environmental Protection Agency's risk assessment guidelines, 784

Prohaska, J.
Validation studies of the protocol for the volatile organic sampling train, 388

Puls, R. W.
Propane removal from propane-air mixtures by soils, 1486

Rahn, K. A.
The Mn/V ratio in retrospect, 829

Read, H. W.
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Reible, D. D.
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370

Ricci, P. F.
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361

Rice, J.
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Rodes, C. E.
Carbon monoxide exposures of Washington commuters, 135

Rollins, R.
An assessment of the long-term performance of gas continuous emission monitoring systems, 27

Romm, M.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Rooney, J. J.
Addressing public fears related to the siting of hazardous waste facilities, 1202

Rowe, R. D.
A simple technique for stack design in complex terrain, 1447

Rubin, A.
Assessing potential health effects from municipal sludge incinerators, 395

Rubin, E. S.
A model of coal cleaning for sulfur emissions reduction, 149

Rubow, K. L.
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303

Sakiyama, S.
Selecting air quality–acid deposition models for mesoscale application, 260

Sauder, L. R.
Formaldehyde dose-response in healthy nonsmokers, 919

Schroeder, W. H.
Toxic trace elements associated with airborne particulate matter: a review, 1267

Seliga, T. A.
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

Shafer, S. R.
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179

Shamoo, D. A.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Shields, H. C.
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039

Simeroth, D. C.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Simpson, J.
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Skea, J. F.
A model of coal cleaning for sulfur emissions reduction, 149

Skog, S.
Community odours in the vicinity of a petrochemical industrial complex, 1418

Smith, G.
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Smith, W. B.
Filtration properties of fly ash from fluidized bed combustion, 1292

Snyder, T. R.
Filtration properties of fly ash from fluidized bed combustion, 1292

Sokash, J. A.
Validation of an audit material for EPA Method 6B, 715

Sorbo, N. W.
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266

Sousa, J. A.
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Sparks, L. E.
Options for controlling condensation aerosols to meet opacity standards, 925

Spengler, J. D.
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303

Spier, C. E.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Stara, J. F.
Assessing potential health effects from municipal sludge incinerators, 395

Stelson, A. W.
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830

Stern, B.
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Stock, T. H.
Formaldehyde concentrations inside conventional housing, 913
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Stocksdale, T. T.
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Swankin, D.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Swift, D. L.
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254

Tabatabai, M. A.
Physicochemical fate of sulfate in soils, 34

Tanner, R. L.
An overview of the Rio de Janeiro aerosol characterization study, 15

Tario, S. M.
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Tas, I.
A simple technique for stack design in complex terrain, 1447

Taylor, P. H.
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Taylor, R. S.
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45

Tew, E. L.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Thompson, A. J.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Thomson, R. B.
Selecting air quality-acid deposition models for mesoscale application, 260

Tobin, R. S.
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Tombach, I. H.
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700

Toplack, S.
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Trenholm, A. R.
A practical guide to trial burns for hazardous waste incinerators, 66
Common deficiencies in RCRA Part B incinerator applications, 275

Trijonis, J.
Reconciliation of air quality models for control strategy decisions, 355

Trim, S. C.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Tucic-Porretta, M.
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Turner, J. H.
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Turner, W.
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303

Ureta, I.
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Valencia, L. M.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

van den Hooff, G. N.
PM10: Results of a one-year monitoring survey in the Netherlands, 812

van der Meulen, A.
PM10: Results of a one-year monitoring survey in the Netherlands, 812

van Elzakker, B. G.
PM10: Results of a one-year monitoring survey in the Netherlands, 812

Vasiloff, J.
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687

Vatavuk, W. M.
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Venet, T. G.
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158

Viner, A. S.
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Visalli, J. R.
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451

von Lehmden, D. J.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Wagoner, D. E.
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Wakefield, V. A.
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Wallace, D.
A practical guide to trial burns for hazardous waste incinerators, 66

Ward, T. E.
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Wasson, J. M.
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Wedding, J. B.
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254

Wehe, A. H.
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198

Weigand, M. A.
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254

Wendt, J. O. L.
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

Weschler, C. J.
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039

Williamson, A. D.
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Wilson, D. L.
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Wilson, J. T.
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Winberry, W. T., Jr.
Calibration and certification of audit devices for transmissometers, 606

Witz, G.
Health risk assessment of chemical mixtures, 796

Wolff, G. T.
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45

Wood, J. A.
Hazardous pollutants in Class II landfills, 609

Wright, R. S.
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Wyzga, R. E.
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679

Zankel, K. L.
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Zembrzuski, M.
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

SUBJECT INDEX

Accidental Releases
Predicting and managing the health risks of sour-gas wells, 1185

Accuracy
An assessment of the long-term performance of gas continuous emission monitoring systems, 27

Acetone
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Acidity
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060

Acid Precipitation
See also Deposition
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 359
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
NAPAP interim assessment includes reports on acidic deposition effects, 1346
NAPAP scientists report research progress in reducing acid rain uncertainties, 402
Physicochemical fate of sulfate in soils, 34
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Selecting air quality–acid deposition models for mesoscale application, 260
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Activity Questionnaire
In-depth exposure assessments, 791

Adirondacks
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Adsorption
Physicochemical fate of sulfate in soils, 34
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Aerosol
See also Particulates
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
An overview of the Rio de Janeiro aerosol characterization study, 15
Options for controlling condensation aerosols to meet opacity standards, 925
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Air Concentrations
Estimating emissions from air concentration measurements, 708

Air Conditioning
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Aircraft Measurements
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Air Pollution Control
Development of the five-year air pollution abatement plan for the greater Athens area, 889

Air Pollution Control Association
See APCA

Air Pollution Control Industry
1987 market outlook for air pollution control and hazardous waste management, 232

Air Toxics
See also Toxic Air Pollutants
MVMA newsletter, 484

Alberta
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836

Aliphatic Hydrocarbons
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Alkalinity
Assessment of dry sorbent emission control technologies: Part II. Applications, 968

Alternative Fuels
An overview of the Rio de Janeiro aerosol characterization study, 15

Alternative Technologies
Avoiding land disposal of hazardous waste: some case studies, 1331
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Study predicts aggressive new service industry for alternative technologies, 350

Altitude Effects
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45

Ambient Air
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Ammonia
A study of ammonia source at a Portland Cement production plant, 1298

Analytical Methods
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Toxic trace elements associated with airborne particulate matter: a review, 1267
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Animal Studies
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Developmental toxicity guidelines critique, 793
The Environmental Protection Agency's risk assessment guidelines, 784

Annual Averages
Significance of regional source contributions to urban PM-10 concentrations, 1286

Antimony
Toxic trace elements associated with airborne particulate matter: a review, 1267

APCA
Guide to the 80th APCA annual meeting & exhibition, 489
No room for politics in clean air debate, Dingell tells APCA seminar, 618
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898

Applications
Assessment of dry sorbent emission control technologies: Part II. Applications, 968

Arsenic
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Toxic trace elements associated with airborne particulate matter: a review, 1267

Artifacts
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Artificial Intelligence
The computer corner, 6

Asthma
Formaldehyde dose-response in healthy nonsmokers, 919
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Athens, Greece
Development of the five-year air pollution abatement plan for the greater Athens area, 889

Atmospheric Levels
Toxic trace elements associated with airborne particulate matter: a review, 1267

Audit Materials
Calibration and certification of audit devices for transmissometers, 606
Validation of an audit material for EPA Method 6B, 715

Author's Guide
JAPCA editorial policy and author's guide to manuscript preparation, 111

Automotive Exhaust
An overview of the Rio de Janeiro aerosol characterization study, 15
Carbon monoxide exposures of Washington commuters, 135
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Auxilliary Fuel
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198

Baghouses
A study of ammonia source at a Portland Cement production plant, 1298
Improved spray dry scrubbing through grinding of FGD recycle material, 801
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Benzene
Hazardous pollutants in Class II landfills, 609

Benzo(a)pyrene
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361

Biological Tracers
Species identification of airborne molds and its significance for the detection of indoor pollution, 51

Bioreactor
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Brazil
An overview of the Rio de Janeiro aerosol characterization study, 15

Bubble Policy
New bubble guidelines will provide economic incentives, EPA reports, 70

Building Materials
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
Formaldehyde concentrations inside conventional housing, 913
Four common diagnostic problems that inhibit radon mitigation, 604
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

Byproducts
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011

Cadmium
Toxic trace elements associated with airborne particulate matter: a review, 1267

Calibration
Calibration and certification of audit devices for transmissometers, 606
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Calibration Gases
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

California
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Canada
1987 APCA government agencies directory, 437
Tough new environmental protection act released in Canada for public discussion, 182
Cancer
An air emission risk assessment for benzo(a)pyrene and arsenic from the Mt. Tom Power Plant, 361
The Environmental Protection Agency's risk assessment guidelines, 784
Carbon Dioxide
Validation of an audit material for EPA Method 6B, 715
Carbon Monoxide
Carbon monoxide exposures of Washington commuters, 135
Indirect source impact analysis—carbon monoxide modeling, 1308
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819
Carbon Tetrachloride
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Case Studies
Avoiding land disposal of hazardous waste: some case studies, 1331
Case studies of minimizing plating bath wastes in the electronics products industry, 723
Cement Kilns
A study of ammonia source at a Portland Cement production plant, 1298
Certification
American Academy of Environmental Engineers offers hazardous waste management certification, 480
Calibration and certification of audit devices for transmissometers, 606
Characterization
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Chemical Analysis
An overview of the Rio de Janeiro aerosol characterization study, 15
Chemical Mechanisms
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Chemical Mixtures
Health risk assessment of chemical mixtures, 796
Chemical Reactions
Physicochemical fate of sulfate in soils, 34
Chemometrics
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Children
See also Schoolchildren
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
Chlorophyll
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429
Chrome Plating
Avoiding land disposal of hazardous waste: some case studies, 1331
Chromium
Toxic trace elements associated with airborne particulate matter: a review, 1267
Circulating Bed Combustion
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
Clean Air Act
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Summary of the final federal emissions trading policy statement, 798
Cleanup
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Coal Cleaning
A model of coal cleaning for sulfur emissions reduction, 149
Coal Combustion
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
Coal-Fired Power Plants
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Cobalt
Toxic trace elements associated with airborne particulate matter: a review, 1267
Combustion
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Commercial Applicability
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Compliance
Validation studies of the protocol for the volatile organic sampling train, 388
Computer Applications
See also Microcomputers
The computer corner, 6, 120
Concentration Distribution
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
Condensation
Options for controlling condensation aerosols to meet opacity standards, 925
Conductivity
Effect of relative humidity on electrically stimulated filter performance, 823
Conferences
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
Guide to the 80th APCA annual meeting & exhibition, 489
In-depth exposure assessments, 791
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
No room for politics in clean air debate, Dingell tells APCA seminar, 618
Reducing risk in hazardous waste management, 833
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24
Consultants
Consultant Guide/1988, 1519
Consumer Products
Health risk assessment of chemical mixtures, 796
Continuous Emission Monitoring
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
Continuous Monitoring
Continuous monitoring of FGD wet scrubber corrosion, 1369
Control Agencies
1987 APCA government agencies directory, 437
Control Strategies
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Development of the five-year air pollution abatement plan for the greater Athens area, 889
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Public reaction to SIP revisions for ozone reduction, 386
Reconciliation of air quality models for control strategy decisions, 355
Control Technology Department
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Continuous monitoring of FGD wet scrubber corrosion, 1369
Eliminating reheat from existing FGD systems: a design and economic evaluation, 214
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Propane removal from propane-air mixtures by soils, 1486
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
The feasibility of wet scrubbing for treating waste-to-energy flue gas, 344
Treating waste-to-energy flue gas, 422
Conversion
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
Cooking Gas
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Copper
Toxic trace elements associated with airborne particulate matter: a review, 1267
Corrosion
Continuous monitoring of FGD wet scrubber corrosion, 1369
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Cost-Benefit Analysis
A model of coal cleaning for sulfur emissions reduction, 149
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
Treating waste-to-energy flue gas, 422
Costs
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Development of the five-year air pollution abatement plan for the greater Athens area, 889
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Critical Flow
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Critical Review
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Crop Loss
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
Crop Yield
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429
Cross-Media Effects
Avoiding land disposal of hazardous waste: some case studies, 1331
Cryogenic Trapping
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244
Cyclohexane
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439

Daily Averages
Significance of regional source contributions to urban PM-10 concentrations, 1286
Damage Functions
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
Data Analysis
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
Data Bases
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
Data Validation
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143
Decision Analysis
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
Reconciliation of air quality models for control strategy decisions, 355
Selecting air quality–acid deposition models for mesoscale application, 260
Deposition
See also Acid Precipitation
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
Desensitization
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199
Design
A simple technique for stack design in complex terrain, 1447
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
Desktop Publishing
The computer corner, 1258
Destruction and Removal Efficiency
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Detached Plumes
Options for controlling condensation aerosols to meet opacity standards, 925
Developing Technologies
1987 market outlook for air pollution control and hazardous waste management, 232
Diagnostics
Four common diagnostic problems that inhibit radon mitigation, 604
Dichloromethane
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
Diffusion
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807
Dioxin
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Dispersion
A simple technique for stack design in complex terrain, 1447
Assessing potential health effects from municipal sludge incinerators, 395
Dispersion characteristics of plumes from two major Taiwan power plants, 1197
Diurnal Variation
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
Dose-Response Relationship
Formaldehyde dose-response in healthy nonsmokers, 919
The Environmental Protection Agency's risk assessment guidelines, 784
Dry Sorbents
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Dry Technologies
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Dust
A study of ammonia source at a Portland Cement production plant, 1298
Dust Cake
Filtration properties of fly ash from fluidized bed combustion, 1292
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Eastern United States
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
Economic Aspects
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Editorial Policy
JAPCA editorial policy and author's guide to manuscript preparation, 111
Electrically Stimulated Filter
Effect of relative humidity on electrically stimulated filter performance, 823
Electric Power Research Institute
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Electrolytic Recovery
Case studies of minimizing plating bath wastes in the electronics products industry, 723
Electron Capture Detection
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244
Electronics Products
Case studies of minimizing plating bath wastes in the electronics products industry, 723
Electron Microscopy
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
Electroplating
Case studies of minimizing plating bath wastes in the electronics products industry, 723
Electrostatic Precipitation
Effect of relative humidity on electrically stimulated filter performance, 823
Filtration properties of fly ash from fluidized bed combustion, 1292
Improved spray dry scrubbing through grinding of FGD recycle material, 801
Emergency Response
Reducing risk in hazardous waste management, 833
Emission Estimates
Estimating emissions from air concentration measurements, 708
Emission Gas Recycle
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249
Emission Inventories
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
Emissions Trading
Summary of the final federal emissions trading policy statement, 798
Empirical Kinetic Modeling Approach
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Enforcement
Significance of regional source contributions to urban PM-10 concentrations, 1286
Environmental Chambers
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320
Environmental Mediation
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 359
Environmental Protection Agency
1987 APCA government agencies directory, 437
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Reducing risk in hazardous waste management, 833
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
The Environmental Protection Agency's risk assessment guidelines, 784
Environmental Protection Service (Canada)
1987 APCA government agencies directory, 437
Epidemiology
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060
Developmental toxicity guidelines critique, 793
Genetic risk assessment, 795
The Environmental Protection Agency's risk assessment guidelines, 784
The Hamilton study: estimating exposure to ambient suspended particles, 1421
Equipment
1987 market outlook for air pollution control and hazardous waste management, 232
Product Guide/1987, 327
Estimation
Estimating emissions from air concentration measurements, 708
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Exercise
Formaldehyde dose-response in healthy nonsmokers, 919
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
Experimental Design
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Experimental Methods
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830
Exposure Assessment
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
In-depth exposure assessments, 791
The Environmental Protection Agency's risk assessment guidelines, 784
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Extractable Organic Material
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
Fabric Filters
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Fault Tree
Addressing public fears related to the siting of hazardous waste facilities, 1202
Field Studies
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Carbon monoxide exposures of Washington commuters, 135

Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179
Filter Extraction
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Filtration
Effect of relative humidity on electrically stimulated filter performance, 823
Filtration properties of fly ash from fluidized bed combustion, 1292
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Fine Particulates
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Finland
Community odours in the vicinity of a petrochemical industrial complex, 1418
Fixed Monitoring Site
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
Flame Ionization Detection
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244
Flow Rate
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
Flue Gas
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Treating waste-to-energy flue gas, 422
Flue Gas Desulfurization
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Continuous monitoring of FGD wet scrubber corrosion, 1369
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Improved spray dry scrubbing through grinding of FGD recycle material, 801
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Fluidized Bed Combustion
Filtration properties of fly ash from fluidized bed combustion, 1292
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Fluorimetry
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Flux
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Fly Ash
Filtration properties of fly ash from fluidized bed combustion, 1292
Forests
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Formaldehyde
Formaldehyde concentrations inside conventional housing, 913
Formaldehyde dose-response in healthy nonsmokers, 919
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320
Fossil Fuel Combustion
Validation of an audit material for EPA Method 6B, 715
Fuel Oil
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Fungus
Species identification of airborne molds and its significance for the detection of indoor pollution, 51
Furans
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Gas Chromatography
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244
Gaseous Pollutants
A study of ammonia source at a Portland Cement production plant, 1298
Hazardous pollutants in Class II landfills, 609
Gas Phase
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Geographic Effects
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
Geology
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
Global Cycles
Toxic trace elements associated with airborne particulate matter: a review, 1267
Global Pollution
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24
Government
1987 APCA government agencies directory, 437
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Ground-level Concentrations
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191
Groundwater
Avoiding land disposal of hazardous waste: some case studies, 1331
Guidelines
Common deficiencies in RCRA Part B incinerator applications, 275
The Environmental Protection Agency's risk assessment guidelines, 784
Hamilton, Ontario
The Hamilton study: estimating exposure to ambient suspended particles, 1421
Hazard Identification
OSHA issues interim final rule designed to protect hazardous waste site workers, 182
The Environmental Protection Agency's risk assessment guidelines, 784
Hazardous and Solid Waste Amendments (HSWA)
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Hazardous Waste, Air Emissions from
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Assessing potential health effects from municipal sludge incinerators, 395
Hazardous pollutants in Class II landfills, 609
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Hazardous Waste Facilities
Addressing public fears related to the siting of hazardous waste facilities, 1202
Hazardous Waste Management
See also Waste Management
A practical guide to trial burns for hazardous waste incinerators, 66
Assessing potential health effects from municipal sludge incinerators, 395
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Life cycle approach to effective waste minimization, 1206
1987 market outlook for air pollution control and hazardous waste management, 232
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Occidental Chemical Corporation v. New York State Department of Environmental Conservation, 663
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Reducing risk in hazardous waste management, 833
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729
Hazardous Waste News Department
See also Waste Management News Department
American Academy of Environmental Engineers offers hazardous waste management certification, 480
DOE report assesses environmental impact of waste oil industry, 780
EPA releases case studies of contaminated land reclamation and redevelopment, 884
FIND/SVP forecasts strong market growth for hazardous waste management and disposal, 178
Incinerator operating conditions affect combustion gas levels of dioxins, furans, 1128
Office of Technology Assessment warns of waste disposal in marine environments, 676
Recycling Superfund wastes: new decision criteria aid site managers, 1000
Study predicts aggressive new service industry for alternative technologies, 350
Summary of the Superfund Amendments and Reauthorization Act of 1986 (SARA), 220
Health Effects
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Assessing potential health effects from municipal sludge incinerators, 395
Developmental toxicity guidelines critique, 793
Formaldehyde dose-response in healthy nonsmokers, 919
Health risk assessment of chemical mixtures, 796
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
In-depth exposure assessments, 791
Predicting and managing the health risks of sour-gas wells, 1185
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
The Environmental Protection Agency's risk assessment guidelines, 784
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Health Risk
See also Risk Assessment, Risk Management
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164

Hospital Waste
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
Issues in low-level radioactive waste management, 1337

Household Waste
Hazardous pollutants in Class II landfills, 609

Human Studies
Developmental toxicity guidelines critique, 793
In-depth exposure assessments, 791
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199

Hydrocarbons
Propane removal from propane-air mixtures by soils, 1486
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Hydrogen Flame
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Hydrogen Fluoride
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191

Hydrogen Sulfide
Predicting and managing the health risks of sour-gas wells, 1185

Impactors
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303

Incineration
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
A practical guide to trial burns for hazardous waste incinerators, 66
Assessing potential health effects from municipal sludge incinerators, 395
Avoiding land disposal of hazardous waste: some case studies, 1331
Common deficiencies in RCRA Part B incinerator applications, 275
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
1987 market outlook for air pollution control and hazardous waste management, 232
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729
Validation studies of the protocol for the volatile organic sampling train, 388

Indirect Sources
Indirect source impact analysis—carbon monoxide modeling, 1308

Indoor Air Quality
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
Carbon monoxide exposures of Washington commuters, 135
Formaldehyde concentrations inside conventional housing, 913
Formaldehyde dose-response in healthy nonsmokers, 919
Four common diagnostic problems that inhibit radon mitigation, 604
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Species identification of airborne molds and its significance for the detection of indoor pollution, 51
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
The Hamilton study: estimating exposure to ambient suspended particles, 1421

Industrial Emissions
Development of the five-year air pollution abatement plan for the greater Athens area, 889
SO_2 emissions and time series models II, 1445

Industrialization
Dispersion characteristics of plumes from two major Taiwan power plants, 1197

Inertial Sizing
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Inhalable Particulates
An overview of the Rio de Janeiro aerosol characterization study, 15

Inorganic Compounds
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Inspection and Maintenance
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384
Public reaction to SIP revisions for ozone reduction, 386
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Instrumentation
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
Product Guide/1987, 327

Interlaboratory Comparison
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320

International Aspects
1987 market outlook for air pollution control and hazardous waste management, 232
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

International Union of Air Pollution Prevention Associations
International news, 10
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Inversion
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45

Iron
Toxic trace elements associated with airborne particulate matter: a review, 1267

Isokinetics
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249

Keynote
Reducing risk in hazardous waste management, 833

Kriging
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595

Laboratory Studies
Filtration properties of fly ash from fluidized bed combustion, 1292
Interlaboratory comparison of formaldehyde emissions from particleboard underlayment in small-scale environmental chambers, 1320
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Propane removal from propane-air mixtures by soils, 1486
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Landfills
Avoiding land disposal of hazardous waste: some case studies, 1331
Hazardous pollutants in Class II landfills, 609

Land-Sea Interactions
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Land Treatment
Measurement of volatile hazardous organic emissions from land treatment facilities, 168

Leaching
Physicochemical fate of sulfate in soils, 34
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Lead
Toxic trace elements associated with airborne particulate matter: a review, 1267

Leaf Injury
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Leaking Underground Storage Tanks
Township of South Orange Village v. Hunt, 382

Legal Briefs Department
Archer Daniels Midland v. Pollution Control Board and Illinois Environmental Protection Agency, 1379
Attorney General of the State of Michigan v. Thomas Solvent Company, 108
Formosa Plastics Corporation v. Wilson, 300
In the matter of Department of Environmental Protection of the City of New York and Environmental Defense Fund, Inc. v. Department of Environmental Conservation of the State of New York and Central Hudson Gas and Electric Corporation, Inc., 1247
J. W. Black Lumber Company, Inc., v. Arkansas Department of Pollution Control and Ecology, 875
Kampen, doing business as Kampen Farms v. Department of Transportation, 1541
New Mexico Environmental Improvement Division v. Thomas, 108
Occidental Chemical Corporation v. New York State Department of Environmental Conservation, 663
The State of West Virginia v. Ohio Hazardous Waste Facility Approval Board et al., Appellees; Board of Health of Columbiana County et al., Appellants, 1119
Township of South Orange Village v. Hunt, 382
United States v. Charles George Trucking Company, Inc., 769
United States of America v. Geppert Brothers, Inc., and Amstar Corporation, 989
United States of America v. Maryland Bank and Trust Company, 208

Legislation
1987 market outlook for air pollution control and hazardous waste management, 232
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Tough new environmental protection act released in Canada for public discussion, 182

Lidar
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046

Life-Cycle Approach
Life cycle approach to effective waste minimization, 1206

Liquid Waste
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

Literature Review
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
Toxic trace elements associated with airborne particulate matter: a review, 1267
Local Agencies
1987 APCA government agencies directory, 437
Management
Reconciliation of air quality models for control strategy decisions, 355
Manganese
The Mn/V ratio in retrospect, 829
Toxic trace elements associated with airborne particulate matter: a review, 1267
Manufacturers
Product Guide/1987, 327
Market Forecast
FIND/SVP forecasts strong market growth for hazardous waste management and disposal, 178
1987 market outlook for air pollution control and hazardous waste management, 232
Massive Aerometric Tracer Experiment (MATEX)
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Materials Damage
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24
Mathematical Analysis
A model of coal cleaning for sulfur emissions reduction, 149
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Performance evaluation of integral and analytical plume rise algorithms, 1314
Reconciliation of air quality models for control strategy decisions, 355
Measurement
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249
Estimating emissions from air concentration measurements, 708
Estimation of the natural background of ozone present at surface rural locations, 1409
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
SO_2 emissions and time series models II, 1445
Mercury
Toxic trace elements associated with airborne particulate matter: a review, 1267
Meteorology
A meso-meteorological feature associated with high ozone concentrations in the Northeastern United States, 720
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807
Indirect source impact analysis—carbon monoxide modeling, 1308
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158
Methane
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434
Method Evaluation
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Methodologies
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Microcomputers
See also Computer Applications
SO_2 emissions and time series models II, 1445
The computer corner, 120, 218, 348, 478, 673, 778, 887, 998, 1132, 1258, 1390
Microcomputer Software Reviews
ACQUIRE/PROCESS, 1344
ALOHA, 946
COMBUSTION, 401
Computerized numerical analysis, 733
Engineering economy software, 617
Low cost software—V, 1076
METRO-APEX on a personal computer, 1465
NUMERICOMP, 851
RuleMaster, 180
TECS software, 80
THERM, 1212
TVATA, 281
Mobile Sources
Development of the five-year air pollution abatement plan for the greater Athens area, 889
Indirect source impact analysis—carbon monoxide modeling, 1308
Public reaction to SIP revisions for ozone reduction, 386
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24
Model Evaluation
Reconciliation of air quality models for control strategy decisions, 355
Selecting air quality–acid deposition models for mesoscale application, 260
Modeling
A model of coal cleaning for sulfur emissions reduction, 149
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Significance of regional source contributions to urban PM-10 concentrations, 1286
Models
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
Reconciliation of air quality models for control strategy decisions, 355
Selecting air quality–acid deposition models for mesoscale application, 260
SO_2 emissions and time series models II, 1445
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819
Mold
Species identification of airborne molds and its significance for the detection of indoor pollution, 51
Monitoring
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
Carbon monoxide exposures of Washington commuters, 135
Continuous monitoring of FGD wet scrubber corrosion, 1369
Formaldehyde concentrations inside conventional housing, 913
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Significance of regional source contributions to urban PM-10 concentrations, 1286
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24
Morphology
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
Multimedia Effects
See Cross-Media Effects
Municipal Waste
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
Assessing potential health effects from municipal sludge incinerators, 395
Hazardous pollutants in Class II landfills, 609
Mutagenicity
Genetic risk assessment, 795
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
National Acid Precipitation Assessment Program (NAPAP)
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679
"Mid-term findings" highlight 1986 Annual Report of National Acid Precipitation Assessment Program, 1214
NAPAP interim assessment includes reports on acidic deposition effects, 1346
National Ambient Air Quality Standards (NAAQS)
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
A meso-meteorological feature associated with high ozone concentrations in the Northeastern United States, 720
National Crop Loss Assessment Network (NCLAN)
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
National Parks
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906
Natural Emissions
Health risk assessment of chemical mixtures, 796
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
Negotiation
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 339
Netherlands
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Networks
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
News Focus Department
EPA's new trends report shows progress; ozone remains a major problem, 734
Interagency cooperative scientific program to investigate Antarctic ozone hole, 1078
"Mid-term findings" highlight 1986 Annual Report of National Acid Precipitation Assessment Program, 1214
NAPAP interim assessment includes reports on acidic deposition effects, 1346
NAPAP scientists report research progress in reducing acid rain uncertainties, 402
NASA, other agencies, give high priority to detection of global trends in ozone, 948
New bubble guidelines will provide economic incentives, EPA reports, 70
No room for politics in clean air debate, Dingell tells APCA seminar, 618
OSHA issues interim final rule designed to protect hazardous waste site workers, 182
Senate panels plan legislation to combat stratospheric ozone loss, 282

Southern California air quality study (SCAQS) begins; major effort to examine smog causes, chemistry, 842
Total exposure assessment methodology study measures personal exposure to pollutants, 1466
Tough new environmental protection act released in Canada for public discussion, 182

Newsletter
EPRI newsletter, 675, 1260
International news, 10
MVMA newsletter, 8, 484, 1002, 1392
TE effects division environmental report, 987
Washington report, 4, 118, 216, 346, 476, 670, 776, 882, 996, 1126, 1256, 1386

Nickel
Toxic trace elements associated with airborne particulate matter: a review, 1267

Nitrate
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125

Nitrogen Compounds
Estimation of the natural background of ozone present at surface rural locations, 1409

Nitrogen Dioxide
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587

Nitrogen Oxides
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
A study of ammonia source at a Portland Cement production plant, 1298
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Noncriteria Pollutants
In-depth exposure assessments, 791

Nonoccupational Exposure
Carbon monoxide exposures of Washington commuters, 135

Northeast
A meso-meteorological feature associated with high ozone concentrations in the Northeastern United States, 720

Nuclear Industry
Issues in low-level radioactive waste management, 1337

Occupational Exposure
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Formaldehyde dose-response in healthy nonsmokers, 919

Odor
Community odours in the vicinity of a petrochemical industrial complex, 1418
Formaldehyde dose-response in healthy nonsmokers, 919
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Office Buildings
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
Indirect source impact analysis—carbon monoxide modeling, 1308

Oil Refinery
Community odours in the vicinity of a petrochemical industrial complex, 1418

Oil Sands Extraction
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Opacity
Calibration and certification of audit devices for transmissometers, 606
Options for controlling condensation aerosols to meet opacity standards, 925

Optimization
Development of the five-year air pollution abatement plan for the greater Athens area, 889
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052

Organic Carbon
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327

Organic Compounds
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Treating waste-to-energy flue gas, 422

Organic Vapors
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039

Oxidants
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046

Oxidation
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Ozone
A meso-meteorological feature associated with high ozone concentrations in the Northeastern United States, 720
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179
EPA's new trends report shows progress; ozone remains a major problem, 734
Estimation of the natural background of ozone present at surface rural locations, 1409
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906
NASA, other agencies, give high priority to detection of global trends in ozone, 948
Public reaction to SIP revisions for ozone reduction, 386
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Senate panels plan legislation to combat stratospheric ozone loss, 282
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Paint
Acidic deposition and material effects: critical evaluation of NAPAP assessment, 679

Paper Coating
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172

Parking Garages
Carbon monoxide exposures of Washington commuters, 135
Indirect source impact analysis—carbon monoxide modeling, 1308

Particle Characterization
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
An overview of the Rio de Janeiro aerosol characterization study, 15
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Particle Formation
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163

Particle Size Distribution
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
The Hamilton study: estimating exposure to ambient suspended particles, 1421
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
Toxic trace elements associated with airborne particulate matter: a review, 1267

Particulates
See also Aerosol, PM-10
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
A study of ammonia source at a Portland Cement production plant, 1298
Effect of relative humidity on electrically stimulated filter performance, 823
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Significance of regional source contributions to urban PM-10 concentrations, 1286
The morphology and size distribution of atmospheric particles deposited on foliage and inert surfaces, 237
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125

Passive Sampling
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
A review of sampling methods for polyaromatic hydrocarbons in air, 1397

Perfluorocarbons
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137

Performance
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Performance evaluation of integral and analytical plume rise algorithms, 1314
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Performance Audits
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384

Permeable Membrane Dryers
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

Permitting
Common deficiencies in RCRA Part B incinerator applications, 275
Formosa Plastics Corporation v. Wilson, 300
Peroxyacetyl Nitrate
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199
Personal Monitoring
Carbon monoxide exposures of Washington commuters, 135
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Philadelphia
Significance of regional source contributions to urban PM-10 concentrations, 1286
Photochemical Oxidant
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158
Physicochemical Fate
Physicochemical fate of sulfate in soils, 34
Pilot Study
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Planning
Development of the five-year air pollution abatement plan for the greater Athens area, 889
Plastic Waste
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
Plating Bath Wastes
Case studies of minimizing plating bath wastes in the electronics products industry, 723
Plume Rise
A simple technique for stack design in complex terrain, 1447
Performance evaluation of integral and analytical plume rise algorithms, 1314
Plumes
Dispersion characteristics of plumes from two major Taiwan power plants, 1197
Options for controlling condensation aerosols to meet opacity standards, 925
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
PM-10
See also Particulates
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Significance of regional source contributions to urban PM-10 concentrations, 1286
Point Sources
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
Policy
Environmental negotiation: an organizational framework for solving the acid deposition puzzle, 359
Issues in low-level radioactive waste management, 1337
Reconciliation of air quality models for control strategy decisions, 355
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Selecting air quality–acid deposition models for mesoscale application, 260
Summary of the final federal emissions trading policy statement, 798
Pollutant Characterization
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807
Polychlorinated Biphenyls
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Polycyclic Aromatic Hydrocarbons
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Polyvinyl Chloride
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
Power Plants
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Continuous monitoring of FGD wet scrubber corrosion, 1369
Dispersion characteristics of plumes from two major Taiwan power plants, 1197
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
Precharger
Effect of relative humidity on electrically stimulated filter performance, 823
Prediction
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Pressure Drop
Filtration properties of fly ash from fluidized bed combustion, 1292
Principal Organic Hazardous Constituents
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Validation studies of the protocol for the volatile organic sampling train, 388
Printing Industry
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Process Modification
Life cycle approach to effective waste minimization, 1206
Process Monitoring
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Product Guide
Product Guide/1987, 327
Products of Incomplete Combustion
Evaluation of a pilot-scale circulating bed combustor as a potential hazardous waste incinerator, 266
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Project Summary
A practical guide to trial burns for hazardous waste incinerators, 66
Propane
Propane removal from propane-air mixtures by soils, 1486
Protocol Gases
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384
Public Health
Predicting and managing the health risks of sour-gas wells, 1185
Publicly Owned Treatment Works
Assessing potential health effects from municipal sludge incinerators, 395
Public Participation
Issues in low-level radioactive waste management, 1337
Public reaction to SIP revisions for ozone reduction, 386
Pulmonary Function
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Pulmonary function desensitization on repeated exposures to the combination of peroxyacetyl nitrate and ozone, 1199
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
Pulse-jet Cleaning
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Pulverized Coal Combustion
Filtration properties of fly ash from fluidized bed combustion, 1292
Quality of Information
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
Radioactive Waste
In situ vitrification holds promise as waste remediation technology, 1262
Issues in low-level radioactive waste management, 1337
Radon
Four common diagnostic problems that inhibit radon mitigation, 604
Nationwide distribution of indoor radon measurements: a preliminary data base, 227
Reactor Rate Coefficient
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830
Receptor Modeling
Estimating emissions from air concentration measurements, 708
Indirect source impact analysis—carbon monoxide modeling, 1308
Recycle
Life cycle approach to effective waste minimization, 1206
Reference Conditions
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Reference Methods
Calibration and certification of audit devices for transmissometers, 606
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384
PM10: Results of a one-year monitoring survey in the Netherlands, 812
Validation of an audit material for EPA Method 6B, 715
Refineries
Performance evaluation of integral and analytical plume rise algorithms, 1314
Refuse
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
Regional Problems
Significance of regional source contributions to urban PM-10 concentrations, 1286
The Mn/V ratio in retrospect, 829
Regression Analysis
A model of coal cleaning for sulfur emissions reduction, 149
Regulations
Common deficiencies in RCRA Part B incinerator applications, 275
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Reheat
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Relative Humidity
Effect of relative humidity on electrically stimulated filter performance, 823
Remote Sites
Estimation of the natural background of ozone present at surface rural locations, 1409

Removal Processes
Estimation of the natural background of ozone present at surface rural locations, 1409
Toxic trace elements associated with airborne particulate matter: a review, 1267
Residences
Formaldehyde concentrations inside conventional housing, 913
Residential Communities
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
Residential Heating
Development of the five-year air pollution abatement plan for the greater Athens area, 889
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Resource Conservation and Recovery Act (RCRA)
Common deficiencies in RCRA Part B incinerator applications, 275
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Resource Recovery
Treating waste-to-energy flue gas, 422
Respiratory Health
Acid particles and the tracheobronchial region of the respiratory system—an "irritation-signaling" model for possible health effects, 1060
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Formaldehyde dose-response in healthy nonsmokers, 919
Short-term respiratory effects of photochemical oxidant exposure in exercising children, 158
The Hamilton study: estimating exposure to ambient suspended particles, 1421
Retrofit
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Reverse-Air Cleaning
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105
Risk Assessment
Addressing public fears related to the siting of hazardous waste facilities, 1202
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Assessing potential health effects from municipal sludge incinerators, 395
Genetic risk assessment, 795
Health risk assessment of chemical mixtures, 796
In-depth exposure assessments, 791
Predicting and managing the health risks of sour-gas wells, 1185
Reconciliation of air quality models for control strategy decisions, 355
Reducing risk in hazardous waste management, 833
The Environmental Protection Agency's risk assessment guidelines, 784
Risk Management
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Rotary Kilns
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Rural Locations
Estimation of the natural background of ozone present at surface rural locations, 1409
The diurnal variations of ozone at different altitudes on a rural mountain in the eastern United States, 45
Safety
Predicting and managing the health risks of sour-gas wells, 1185
Samplers
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Measurement of ambient ground-level concentrations of hydrogen fluoride, 1191
Sampling
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
An overview of the Rio de Janeiro aerosol characterization study, 15
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Design and characterization of an isokinetic sampling train for particle size measurements using emission gas recycle, 249
Low flow rate sharp cut impactors for indoor air sampling: design and calibration, 1303
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Species identification of airborne molds and its significance for the detection of indoor pollution, 51
The mutagenic activity of particulate organic matter collected with a dilution sampler at coal-fired power plants, 1439
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
Toxic trace elements associated with airborne particulate matter: a review, 1267
Validation studies of the protocol for the volatile organic sampling train, 388
Schoolchildren
See also Children
The Hamilton study: estimating exposure to ambient suspended particles, 1421
Screening Methodology
Assessing potential health effects from municipal sludge incinerators, 395
Scrubbers
Continuous monitoring of FGD wet scrubber corrosion, 1369
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314
Scrubbing
Improved spray dry scrubbing through grinding of FGD recycle material, 801
Propane removal from propane-air mixtures by soils, 1486
Treating waste-to-energy flue gas, 422
Seasonal Effects
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
Estimation of the natural background of ozone present at surface rural locations, 1409
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Segregation
Life cycle approach to effective waste minimization, 1206
Selenium
Toxic trace elements associated with airborne particulate matter: a review, 1267
Semi-VOST
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Short Stacks
See also Stacks, Stack Height
Performance evaluation of integral and analytical plume rise algorithms, 1314
Simulation
A critical flow device for accurate PM_{10} sampling and correct indication of PM_{10} dosage to the thoracic region of the respiratory tract, 254
A model of coal cleaning for sulfur emissions reduction, 149
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
Site Selection
Issues in low-level radioactive waste management, 1337
Siting
Addressing public fears related to the siting of hazardous waste facilities, 1202
Minnesota using voluntary approach to site hazardous waste management facility, 1388
In Situ Vitrification
In situ vitrification holds promise as waste remediation technology, 1262
Smog
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Smoke
Calibration and certification of audit devices for transmissometers, 606
Smoking
The estimation of personal exposures to air pollutants for a community-based study of health effects in asthmatics—exposure model, 587
Social Aspects
Reconciliation of air quality models for control strategy decisions, 355
Sodium Carbonate
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830
Soil
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Physicochemical fate of sulfate in soils, 34
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Soil Bed
Propane removal from propane-air mixtures by soils, 1486
Soil Extraction
Avoiding land disposal of hazardous waste: some case studies, 1331
Solid Waste
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Air pollutant emissions from the incineration of hospital wastes: The Alberta experience, 836
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
Solvents
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Sorbents
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830
Source Apportionment
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Indirect source impact analysis—carbon monoxide modeling, 1308
Reconciliation of air quality models for control strategy decisions, 355
Significance of regional source contributions to urban PM-10 concentrations, 1286
Toxic trace elements associated with airborne particulate matter: a review, 1267
Source Monitoring
A study of ammonia source at a Portland Cement production plant, 1298
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Source-Receptor Relationship
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137

Sour Gas Wells
Predicting and managing the health risks of sour-gas wells, 1185

Soybean
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429

Spain
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Specifications
Sizing and costing of fabric filters: Part I: Size considerations, 749
Sizing and costing of fabric filters. Part II: Costing considerations, 1105

Spray Absorber
Treating waste-to-energy flue gas, 422

Spray Dryers
Improved spray dry scrubbing through grinding of FGD recycle material, 801

Stack Gas
Eliminating reheat from existing FGD systems: a design and economic evaluation, 314

Stack Height
See also Short Stacks
A simple technique for stack design in complex terrain, 1447

Stacks
Options for controlling condensation aerosols to meet opacity standards, 925

Standards
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Hazardous pollutants in Class II landfills, 609
Performance characterization and optimization of the $AgNO_3$-filter/FMA fluorimetric method for atmospheric H_2S measurements, 1052
Summary of the final federal emissions trading policy statement, 798
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

State Implementation Plans (SIP)
Public reaction to SIP revisions for ozone reduction, 386
Summary of the final federal emissions trading policy statement, 798

Stationary Sources
Calibration and certification of audit devices for transmissometers, 606
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Statistical Analysis
An evaluation of the kriging method to predict 7-h seasonal mean ozone concentrations for estimating crop losses, 595
Estimating emissions from air concentration measurements, 708
Performance evaluation of integral and analytical plume rise algorithms, 1314
SO_2 emissions and time series models II, 1445

St. Louis, Missouri
Significance of regional source contributions to urban PM-10 concentrations, 1286

Storage and Disposal
Issues in low-level radioactive waste management, 1337

Street Intersections
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Sulfate
Physicochemical fate of sulfate in soils, 34
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Sulfur Compounds
A model of coal cleaning for sulfur emissions reduction, 149
Physicochemical fate of sulfate in soils, 34
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39
Validation of ppb/ppt sulfur gas standards by independent analytical methods, 143

Sulfur Dioxide
An assessment of the long-term performance of gas continuous emission monitoring systems, 27
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
SO_2 emissions and time series models II, 1445
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
Validation of an audit material for EPA Method 6B, 715

Sulfur Hexafluoride
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Sulfur Oxides
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137

Superfund
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Recycling Superfund wastes: new decision criteria aid site managers, 1000
Reducing risk in hazardous waste management, 833
Summary of the Superfund Amendments and Reauthorization Act of 1986 (SARA), 220

Surrogates
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Sulfur hexafluoride as a surrogate for monitoring hazardous waste incinerator performance, 729

Survey
PM10: Results of a one-year monitoring survey in the Netherlands, 812

System Evaluation
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327

Taiwan
Dispersion characteristics of plumes from two major Taiwan power plants, 1197

Technology Transfer
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Temperature Effects
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Determination of the sodium carbonate–sulfur dioxide reaction rate coefficient at 450°F, 830

Terrain Effects
A simple technique for stack design in complex terrain, 1447
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807

Test Burns
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451

Test Design
Validation of an audit material for EPA Method 6B, 715

Texas
Public reaction to SIP revisions for ozone reduction, 386

Thermal Desorption
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

Thermal Destruction
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011

Thermal Oxidation
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Thermal Treatment
See Incineration

Time Series Models
SO_2 emissions and time series models II, 1445

Toluene
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Total Exposure Assessment Methodology (TEAM) Study
Total exposure assessment methodology study measures personal exposure to pollutants, 1466

Total Suspended Particulates
PM10: Results of a one-year monitoring survey in the Netherlands, 812

Toxic Air Pollutants
See also Air Toxics
Report on the 15th APCA Government Affairs Seminar: quest for clear air—challenges to the 100th Congress, 687
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Treating waste-to-energy flue gas, 422

Toxic Compounds
Hazardous pollutants in Class II landfills, 609
Reducing risk in hazardous waste management, 833

Toxicity
Developmental toxicity guidelines critique, 793

Toxic Substances Control Act (TSCA)
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011

Trace Elements
An overview of the Rio de Janeiro aerosol characterization study, 15

Tracers
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Estimating emissions from air concentration measurements, 708
Estimation of the natural background of ozone present at surface rural locations, 1409
Performance audits of EPA protocol gases and inspection and maintenance calibration gases, 384
The Mn/V ratio in retrospect, 829

Traffic
Indirect source impact analysis—carbon monoxide modeling, 1308
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Transformation
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
The rate of SO_2 to sulfate particle formation in an air parcel from an oil sands extraction plant plume, 163
Transformations of organic and inorganic sulfur: importance to sulfate flux in an Adirondack forest soil, 39

Transient Puffs
On the occurrence of transient puffs in a rotary kiln incinerator simulator. I. Prototype solid plastic wastes, 54
On the occurrence of transient puffs in a rotary kiln incinerator simulator: II: Contained liquid wastes on sorbent, 934

Transmissometer
Calibration and certification of audit devices for transmissometers, 606

Transport
Conceptual design of a massive aerometric tracer experiment (MATEX), 1137
Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, 1046
Experimental characterization of atmospheric diffusion in complex terrain with land-sea interactions, 807
Major sulfur dioxide point-source emissions inventories for the eastern United States and southeastern Canada for 1978 and 1980, 49

The Mn/V ratio in retrospect, 829

Trees
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906

Trends
Estimation of the natural background of ozone present at surface rural locations, 1409
1987 market outlook for air pollution control and hazardous waste management, 232
Trends and relationships of O_3, NO_x and HC in the south coast air basin of California, 1158

Trial Burns
A practical guide to trial burns for hazardous waste incinerators, 66

Trichlorethylene
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236

Uncertainty
Estimating emissions from air concentration measurements, 708
Evaluating the benefits of uncertainty reduction in environmental health risk management, 1164
NAPAP scientists report research progress in reducing acid rain uncertainties, 402
Reconciliation of air quality models for control strategy decisions, 355
The Environmental Protection Agency's risk assessment guidelines, 784

United States
1987 APCA government agencies directory, 437

Urban Pollutant Levels
Adequacy of a single monitoring site for defining mean outdoor concentrations of fine particles in a demarcated residential community, 377
An overview of the Rio de Janeiro aerosol characterization study, 15
Increasing the computational feasibility of urban air quality models that employ complex chemical mechanisms, 370
Indirect source impact analysis—carbon monoxide modeling, 1308
Significance of regional source contributions to urban PM-10 concentrations, 1286
TEXIN2: A versatile model for predicting carbon monoxide concentrations near intersections, 819

Utility Industry
An air emission risk assessment for benzo(*a*)pyrene and arsenic from the Mt. Tom Power Plant, 361
Assessment of dry sorbent emission control technologies. Part I. Fundamental processes, 642
Assessment of dry sorbent emission control technologies: Part II. Applications, 968
1987 Joint EPRI/EPA symposium on stationary combustion NO_x control, 864

Validation
Validation of an audit material for EPA Method 6B, 715
Validation studies of the protocol for the volatile organic sampling train, 388

Vanadium
The Mn/V ratio in retrospect, 829
Toxic trace elements associated with airborne particulate matter: a review, 1267

Vapor Press
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067

Vapors
A review of sampling methods for polyaromatic hydrocarbons in air, 1397
Contribution of adsorbed PCB to total airborne PCB during soil clean-up, 176
Options for controlling condensation aerosols to meet opacity standards, 925

Vegetation Effects
Chlorophyll content of soybean foliage in relation to seed yield and ambient ozone pollution, 1429
Effects of chronic doses of ozone on field-grown loblolly pine: seedling responses in the first year, 1179
Evidence of growth reduction in ozone-injured Jeffrey pine (*Pinus jeffreyi* Grev. and Balf.) in Sequoia and Kings Canyon National Parks, 906
The characterization of ozone data for sites located in forested areas of the Eastern United States, 1005
The sizes of particulate sulfate and nitrate in the atmosphere—a review, 125
7th World Clean Air Congress, Sydney, Australia, August 19–25, 1986; IUAPPA report, Congress summary, 24

Vendors
1987 market outlook for air pollution control and hazardous waste management, 232
Product Guide/1987, 327

Ventilation
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039

Vinyl Chloride
Hazardous pollutants in Class II landfills, 609

Visibility
A critical assessment of atmospheric visibility and aerosol measurements in the Eastern United States, 700

Visible Emissions
Calibration and certification of audit devices for transmissometers, 606
Options for controlling condensation aerosols to meet opacity standards, 925

Volatile Organic Compounds
Analysis of ambient concentrations of organic vapors with a passive sampler, 1039
An evaluation of the semi-VOST method for determining emissions from the hazardous waste incinerators, 1067
Economic analysis of environmental regulations: lessons from VOC standards for paper coating, 1172
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244
Evaluation of Byron instruments total organic carbon (Method 25) monitoring system, 1327
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
Measurement of volatile hazardous organic emissions from land treatment facilities, 168
Removal of volatile aliphatic hydrocarbons in a soil bioreactor, 1236
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898
Validation studies of the protocol for the volatile organic sampling train, 388

Volatile Organic Sampling Train
Incineration of hazardous waste: a critical review, 558
Incineration of hazardous waste: critical review discussion papers, 1011
Validation studies of the protocol for the volatile organic sampling train, 388

Washington, D.C.
Carbon monoxide exposures of Washington commuters, 135

Waste Disposal
Improved spray dry scrubbing through grinding of FGD recycle material, 801
Office of Technology Assessment warns of waste disposal in marine environments, 676

Waste Gas
Incineration techniques for control of volatile organic compound emissions. Part I. Fundamentals and process design considerations, 91
Incineration techniques for control of volatile organic compound emissions. Part II. Capital and annual operating costs, 198
The influence of flame-generated free radicals on the thermal oxidation of waste gases, 1434

Waste Management
See also Hazardous Waste Management
A comparison of dioxin, furan, and combustion gas data from test programs at three MSW incinerators, 1451
Issues in low-level radioactive waste management, 1337

Waste Management News Department
See also Hazardous Waste News Department
In situ vitrification holds promise as waste remediation technology, 1262
Minnesota using voluntary approach to site hazardous waste management facility, 1388

Waste Minimization
Avoiding land disposal of hazardous waste: some case studies, 1331
Issues in low-level radioactive waste management, 1337
Life cycle approach to effective waste minimization, 1206

Waste Oil
DOE report assesses environmental impact of waste oil industry, 780

Waste-to-Energy
Treating waste-to-energy flue gas, 422

Water Removal
Enhanced performance of nafion dryers in removing water from air samples prior to gas chromatographic analysis, 244

Wind Effects
Options for controlling condensation aerosols to meet opacity standards, 925

Woodburning
Summary of the 1987 EPA/APCA symposium on measurement of toxic and related air pollutants, 898

Zinc
Toxic trace elements associated with airborne particulate matter: a review, 1267